

Table of Contents

Live 3D Echocardiography Bibliography of Selected Articles and Abstracts:	Pgs. 1-4
3D Echocardiography – Off-line and Early Real-time Bibliography of Selected Articles:	Pgs. 5-20

Live 3D Echocardiography Bibliography of Selected Articles and Abstracts

Franke, A. Rulands, D. Breithardt, O.A. Brehmer, K.. Sinha, A.M Markus, K.U. Stellbrink, C. Kühl, H.P. *Transthoracic high-resolution real-time three-dimensional echocardiography for the analysis of regional left-ventricular wall motion patterns in patients with cardiac resynchronization therapy*. European Heart Journal Vol 24, Abstr. Suppl. August/September 2003, page 396.

Kapetenakis, S. Murray, O. Rance, K. Platts, D. Monaghan, M. *Contrast enhanced real-time three-dimensional echocardiography, is it feasible?* European Heart Journal Vol 24, Abstr. Suppl. August/September 2003, page 700.

Kühl, HP. Rulands, D. Schreckenber, M. Januschke, A. Schummers, G. Hanrath, P. Franke, A. *Assessment of left-ventricular volumes and function using high-resolution transthoracic real-time three-dimensional echocardiography: comparison of semi-automatic border detection with manual contour tracing*. European Heart Journal Vol 24, Abstr. Suppl. August/September 2003, page 352.

Chan, K.L., Lui, X. Ascah, K. Beauchesne, L. Burwash, I. *Comparison of real-time 3-D echocardiography with conventional 2-D echocardiography in the assessment of structural heart disease*. Abstract from 2003 Canadian Cardiovascular Congress.

Vengala, S. Nanda, N. Agrawal, G. Singh, V. Dod, H. Khanna, D. Chapman, G. Upendram, S. *Live Three-Dimensional Transthoracic Echocardiography Assessment of Coronary Arteries*. Echocardiography: A Journal of CV Ultrasound & Allied Technologies. 20(8) 2003.

Singh, V. Nanda, N. Agrawal, G. Vengala, S. Dod, H. Misra, V. Narayan, V. *Live Three-Dimensional Echocardiographic Assessment of Mitral Stenosis*. Echocardiography: A Journal of CV Ultrasound & Allied Technologies. 20(8) 2003.

Marx, G. *The Real Deal: Real-time 3-D Echocardiography in Congenital Heart Disease*. Pediatric Cardiology Today. 1(1): 9-11, September 2003.

Shirali, G. *Live 3-D echo clarifies anatomy of recurrent subaortic stenosis and a shadow in the left atrium*. RT Image. 16 (25), June 23, 2003.

Lang R. Sugeng L. *A fantastic journey: 3D cardiac ultrasound goes live*. Radiology Management. 24(6):18-22, 2002 Nov-Dec.

Lang R. Sugeng L. *Live 3-D ultrasound: ready for practical uses*. Today in Cardiology. 6(1); x2003 January.

Interview with Roberto Lang. *Echocardiography Closes in on 3D as It Turns 50*. Medical Imaging. 2003 March.

Gill E. *Live Three-Dimensional Echo – a Major Incremental Step in the Development of Cardiac Ultrasound*. The Journal of Cardiovascular Management. 14(2):13-17, 2003 March/April.

Nanda N. *Live 3D Echo – Delivering Realtime Benefits to Cardiologists*. Business Briefing: Global Healthcare 2003 Extract (World Medical Association). 2003.

Salgo I. Bianchi M. *Going “live” with 3-D cardiac ultrasound*. Today in Cardiology. 5(9); 2002 September.

AHA 2003 Abstracts on Live 3D Echo

Jackson, B. Enomoto, Y. St. John-sutton, M. Plappert, T. Gorman, R. Gorman, J. *3D Echocardiography to Assess Mitral Annular Shape and Leaflet Curvature* (Abstract 2705)

von Bardeleben, R. Kramm, T. Schnabel, R. Oberholzer, K. Menzel, T. Mohr-Kahaly, S. Mayer, E. *Real-Time Three Dimensional Contrast Echocardiography in the Assessment of Aspherical Right Ventricular Geometry and Pressure Load Due to Severe Chronic Thromboembolic Pulmonary Hypertension*. (Abstract 2714)

Wong, P. Gao, H. Sklansky, M. *Real Time Volume-Rendered Transthoracic Three-Dimensional Echocardiography for the Evaluation of Pediatric Heart Disease*. (Abstract 3079)

Jenkins, J. Wylie, B. Bricknell, K. Fang, Z. Leano, R. Marwich, T. *Real-Time 3D Echo Increases Feasibility of Sequential Echo Follow-up in the Real World – Reduction of Test-Retest Variation of LV Parameters*. (Abstract 2357)

Wong, P. Gao, H. Sklansky, M. *Real-Time Transthoracic Three-Dimensional Echocardiography Enhances Evaluation of Congenital Atrioventricular Valve Disease.* (Abstract 2441)

Zimmerman, F. Sugeng, L. Weinert, L. Mor-Avi, V. Bacha, E. Starr, J. Lang, R. *Three-Dimensional Echocardiographic Assessment of Ventricular Resynchronization in Patients with Congenital Heart Disease.* (Abstract 2440)

Sebag, I. Morgan, J. nesta, F. Handschumacher, M. Marshall, J. Hung, J. Picard, M. Levin, R. *Three-Dimensionally Guided Rapid, Reproducible Assessment of Mitral Stenosis Using Matrix-Array Technology.* (Abstract 2529)

Sugent, L. MacEneaney, P. Weinert, L. Koch, R. Mahia, P. Bednarz, J. Furlong, K. Collins, K. Mor-Avi, V. Lang, R. *Validation of Real-Time Three-Dimensional Echocardiographic Measurements of Left Ventricular Ejection Fraction with Magnetic Resonance Imaging.* (Abstract 1583)

Hirata, K. Otsuka, R. Oe, Y. Fujikura, K. DiTullio, M. Homma, S. *Utility of New Real-Time 3D Transthoracic Echocardiography in Evaluation of Mitral Valve Prolapse – Comparison with Transesophageal Echocardiography.* (Abstract 2513)

Franke, A. Breithardt, O. Rulands, D. Sinha, A. Kuehl, H. Stellbrink, C. *Quantitative Analysis of Regional Left Ventricular Wall Motion Patterns in Patients with Cardiac Resynchronization Therapy Using Real-Time 3D Echocardiography.* (Abstract 2231)

American Society of Echo 2003 Abstracts on Live 3D Echo

Agler, D. Qin, J. Shiota, T. Shin, J. Kassimatis, C. Nash, P. Oryszak, S. Pettersson, G. Griffin, B. Grimm, R. Thomas, J. *Aortic Abnormalities Determined by Live 3D Echo: Comparison with 2D Echocardiographic Study.*

Agler, D. Qin, J. Shiota, T. Shin, J. Nash, P. Morehead, A. Greenberg, N. Stewart, W. Cosgrove, D. Thomas, J. *Initial Experience of Epicardial Live 3D Echo for Determining Mitral Valvular Pathology: Operative Validation.*

Chen, F. Hsu, T. Shan, C. *Real-Time Three-Dimensional Echocardiographic Diagnosis of Congenital Vascular Anomalies with Comparison to Three-Dimensional MR Imaging.*

Popovic, Z. Martin, M. Fukamachi, K. Inoue, M. Doi, K. Shiota, T. Thomas, J. *Mitral Annulus dilation Is the Strongest Predictor of Functional Mitral Regurgitation in Tachycardia-Induced Cardiomyopathy: A Real-Time 3 Dimensional Echocardiographic Study.*

Qin, J. Shiota, T. Shin, J. Agler, D. Drinko, J. Nash, P. Smedira, N. Asher, C. Lever, H. Thomas, J. *Quantification of Left Ventricular Outflow Tract by Live 3D Echo in Patients with Hypertrophic Cardiomyopathy.*

Qin, J. Shiota, T. Agler, D. Kwan, J. Shin, J. Saracino, G. McCarthy, P. Thomas, J. *Deformation of Mitral Annulus in Patients with Ischemic Mitral Regurgitation: A Real-time 3D Echo Study.*

Qin, J. Shiota, T. Shin, J. Agler, D. Borowski, A. Grimm, R. Wilkoff, B. Thomas, J. *Tracking Pacemaker Wire and Lead in Patients with Permanent Right Ventricular Pacing by Live 3D Echo: Comparison with 2D Echo.*

Sebag, I. Levin, R. Handschumacher, M. Picard, M. Hung, J. *A New, Unique Right Ventricular View Available from Matrix-Array Real-Time Three-Dimensional Echocardiography: Implications for Volume Calculation.*

Sebag, I. Morgan, J. Nesta, F. Handschumacher, M. Marshall, J. Hung, J. Picard, M. Levine, R. *Three-Dimensionally Guided Rapid, Reproducible Assessment of Mitral Stenosis Using Matrix-Array Technology.*

Shin, J. Shiota, T. Qin, J. Agler, D. Greenberg, N. Oryszak, S. Maureen, M. Nash, P. Eto, Y. Thomas, J. *Reproducibility of Live Three-Dimensional Echocardiography in Measurement of Left Ventricular Volumes.*

Shin, J. Shiota, T. Qin, J. Agler, D. Greenberg, N. Oryszak, S. Nash, P. Eto, Y. Thomas, J. *Validation of Live Three-Dimensional Echocardiography for Quantification of Left ventricular volume: Comparison with Volumetric Real-time Three-Dimensional Echocardiography.*

3D Echocardiography – Off-line and Early Real-time Bibliography of Selected Articles

Studies in Phantoms, Heart Models and Animals

Messas E. Guerrero JL. Handschumacher MD. Chow CM. Sullivan S. Schwammenthal E. Levine RA. *Paradoxical decrease in ischemic mitral regurgitation with papillary muscle dysfunction: insights from three-dimensional and contrast echocardiography with strain rate measurement.* Circulation. 104(16):1952-7, 2001 Oct 16.

Kardon RE. Cao QL. Masani N. Sugeng L. Supran S. Warner KG. Pandian NG. Marx GR. *New insights and observations in three-dimensional echocardiographic visualization of ventricular septal defects: experimental and clinical studies.* Circulation. 98(13):1307-14, 1998 Sep 29.

Shiota T. Jones M. Chikada M. Fleishman CE. Castellucci JB. Cotter B. DeMaria AN. von Ramm OT. Kisslo J. Ryan T. Sahn DJ. *Real-time three-dimensional echocardiography for determining right ventricular stroke volume in an animal model of chronic right ventricular volume overload.* Circulation. 97(19):1897-900, 1998 May 19.

Gopal AS. Schnellbaecher MJ. Shen Z. Akinboboye OO. Sapin PM. King DL. *Freehand three-dimensional echocardiography for measurement of left ventricular mass: in vivo anatomic validation using explanted human hearts.* Journal of the American College of Cardiology. 30(3):802-10, 1997 Sep.

Jiang L. de Prada JAV. Handschumacher MD. et al. *Quantitative three-dimensional reconstruction of aneurysmal left ventricles: In vitro and in vivo validation.* Circulation. 91:222-230, 1995.

Linka AZ. Ates G. Wei K. Firoozan S. Skyba DM. Kaul S. *Three-dimensional myocardial contrast echocardiography: validation of in vivo risk and infarct volumes.* Journal of the American College of Cardiology. 30(7):1892-9, 1997 Dec.

Buck T. Schon F. Baumgart D. et al. *Tomographic left ventricular volume determination in the presence of aneurysm by three-dimensional echocardiographic imaging. I: Asymmetric model hearts.* Journal of the American Society of Echocardiography. 9:488-500, 1996.

Mannaerts HF. Kamp O. van der Heide JA. Valocik G. Visser CA. *Importance of transducer displacement and tilting on three-dimensional echocardiographic volume*

assessment using apical or off-axis rotational acquisition: an in vitro study. Journal of the American Society of Echocardiography. 15(1):46-54, 2002 Jan.

Yao J. Teupe C. Takeuchi M. Avelar E. Sheahan M. Connolly R. Ostensen J. Pandian NG. *Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100.* Journal of the American Society of Echocardiography. 13(6):570-81, 2000 Jun.

Munt BI. Leotta DF. Bolson EL. Coady K. Martin RW. Otto CM. Sheehan FH. *Left ventricular shape analysis from three-dimensional echocardiograms.* Journal of the American Society of Echocardiography. 11(8):761-9, 1998 Aug.

Kuehl HP. Franke A. Janssens U. et al. *Three-dimensional echocardiographic determination of left ventricular volumes and function by multiplane transesophageal transducer: Dynamic in vitro validation and in vivo comparison with angiography and thermodilution.* Journal of the American Society of Echo. 11:1113-1124, 1998.

Heusch A. Koch JA. Krogmann ON. Korbmacher B. Bourgeois M. *Volumetric analysis of the right and left ventricle in a porcine heart model: comparison of three-dimensional echocardiography, magnetic resonance imaging and angiography.* European Journal of Ultrasound. 9(3):245-55, 1999 Jul.

Timek TA. Dagum P. Lai DT. Liang D. Daughters GT. Tibayan F. Ingels NB Jr. Miller DC. *Tachycardia-induced cardiomyopathy in the ovine heart: mitral annular dynamic three-dimensional geometry.* Journal of Thoracic & Cardiovascular Surgery. 125(2):315-24, 2003 Feb.

Takagaki M. McCarthy PM. Tabata T. Dessoffy R. Cardon LA. Connor J. Ochiai Y. Thomas JD. Francis GS. Young JB. Fukamachi K. *Induction and maintenance of an experimental model of severe cardiomyopathy with a novel protocol of rapid ventricular pacing.* Journal of Thoracic & Cardiovascular Surgery. 123(3):544-9, 2002 Mar.

Handschumacher MD. Lethor JP. Siu SC. et al. *A new integrated system for three-dimensional echocardiography reconstruction: Development and validation for ventricular volume with application in human subjects.* Journal of the American College of Cardiology. 21:743-753, 1993.

Pino R. Giannazzo G. Bari MD. et al. *Transthoracic three-dimensional echocardiographic reconstruction of left and right ventricles: In vitro validation and comparison with magnetic resonance imaging.* American Heart Journal. 133:221-229, 1997.

Martin RW. Bashein G. *Measurements of stroke volume with three-dimensional transesophageal ultrasonic scanning: Comparison with thermodilution measurement.* Anesthesiology. 70:470-476, 1989.

Vogel M. White PA. Redington AN. *In vitro validation of right ventricular volume measurement of three dimensional echocardiography.* British Heart Journal. 74:460-463, 1995.

Left Ventricle, Right Ventricle

Ahmad M. Xie T. Chamoun AJ. McCulloch M. Shah S. *Images in cardiovascular medicine. Real-time three-dimensional echocardiography with real-time volume rendering in assessment of left ventricular apical thrombi.* Circulation. 106(13):e53, 2002 Sep 24.

Belohlavek M. Tanabe K. Jakrapanichakul D. Breen JF. Seward JB. *Rapid three-dimensional echocardiography : clinically feasible alternative for precise and accurate measurement of left ventricular volumes.* Circulation. 103(24):2882-4, 2001 Jun 19.

Qin JX. Shiota T. McCarthy PM. Firstenberg MS. Greenberg NL. Tsujino H. Bauer F. Travaglini A. Hoercher KJ. Buda T. Smedira NG. Thomas JD. Investigator: Thomas JD. *Real-time three-dimensional echocardiographic study of left ventricular function after infarct exclusion surgery for ischemic cardiomyopathy.* Circulation. 102(19 Suppl 3):III101-6, 2000 Nov 7.

Yao J. Cao QL. Masani N. Delabays A. Magni G. Acar P. Laskari C. Pandian NG. *Three-dimensional echocardiographic estimation of infarct mass based on quantification of dysfunctional left ventricular mass.* Circulation. 96(5):1660-6, 1997 Sep 2.

Hung J. Guerrero JL. Handschumacher MD. Supple G. Sullivan S. Levine RA. *Reverse ventricular remodeling reduces ischemic mitral regurgitation: Echo-guided device application in the beating heart.* Circulation. Vol 106(20) (pp 2594-2600), 2002. 12 Nov 2002.

Shiota T. Jones M. Chikada M. Fleishman CE. Castellucci JB. Cotter B. DeMaria AN. von Ramm OT. Kisslo J. Ryan T. Sahn DJ. *Real-time three-dimensional echocardiography for determining right ventricular stroke volume in an animal model of chronic right ventricular volume overload.* Circulation. 97(19):1897-900, 1998 May 19.

King DL. El-Khoury Coffin L. Maurer MS. *Myocardial contraction fraction: a volumetric index of myocardial shortening by freehand three-dimensional*

echocardiography. Journal of the American College of Cardiology. 40(2):325-9, 2002 Jul 17

Qin JX. Shiota T. Lever HM. Rubin DN. Bauer F. Kim YJ. Sitges M. Greenberg NL. Drinko JK. Martin M. Agler DA. Thomas JD. Investigator: Thomas JD. *Impact of left ventricular outflow tract area on systolic outflow velocity in hypertrophic cardiomyopathy: a real-time three-dimensional echocardiographic study*. Journal of the American College of Cardiology. 39(2):308-14, 2002 Jan 16.

Khankirawatana B. Khankirawatana S. Lof J. Porter TR. *Left atrial volume determination by three-dimensional echocardiography reconstruction: validation and application of a simplified technique*. Journal of the American Society of Echocardiography. 15(10 Pt 1):1051-6, Oct.

Camarano G. Jones M. Freidlin RZ. Panza JA. *Quantitative assessment of left ventricular perfusion defects using real-time three-dimensional myocardial contrast echocardiography*. Journal of the American Society of Echocardiography. 15(3):206-13, 2002 Mar.

Hubka M. Lipiecki J. Bolson EL. Martin RW. Munt B. Maza SR. Sheehan FH. *Three-dimensional echocardiographic measurement of left ventricular wall thickness: In vitro and in vivo validation*. Journal of the American Society of Echocardiography. 15(2):129-35, 2002 Feb.

Lee D. Fuisz AR. Fan PH. Hsu TL. Liu CP. Chiang HT. *Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: correlation with magnetic resonance imaging--a validation study*. Journal of the American Society of Echocardiography. 14(10):1001-9, 2001 Oct.

Mondelli JA. Di Luzio S. Nagaraj A. Kane BJ. Smulevitz B. Nagaraj AV. Greene R. McPherson DD. Rigolin VH. *The validation of volumetric real-time 3-dimensional echocardiography for the determination of left ventricular function*. Journal of the American Society of Echocardiography. 14(10):994-1000, 2001 Oct.

Roldan FJ. Vargas-Barron J. Mendoza LL. Romero-Cardenas A. Espinola-Zavaleta N. Barragan R. Patrick M. *Anatomic correlation of left atrial appendage by 3-dimensional echocardiography*. Journal of the American Society of Echocardiography. 14(9):941-4, 2001 Sep.

McCreery CJ. McCulloch M. Ahmad M. deFilippi CR. *Real-time 3-dimensional echocardiography imaging for right ventricular endomyocardial biopsy: a comparison*

with fluoroscopy. Journal of the American Society of Echocardiography. 14(9):927-33, 2001 Sep.

Frielingsdorf J. Franke A. Kuhl HP. Hess OM. Flachskampf FA. *Evaluation of septal hypertrophy and systolic function in diseases that cause left ventricular hypertrophy: a 3-dimensional echocardiography study.* Journal of the American Society of Echocardiography. 14(5):370-7, 2001 May.

Takuma S. Ota T. Muro T. Hozumi T. Sciacca R. Di Tullio MR. Blood DK. Yoshikawa J. Homma S. *Assessment of left ventricular function by real-time 3-dimensional echocardiography compared with conventional noninvasive methods.* Journal of the American Society of Echocardiography. 14(4):275-84, 2001 Apr.

Abdullah M. Maeno Y. Bigras JL. McCrindle BW. Smallhorn JF. Boutin C. *Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts.* Journal of the American Society of Echocardiography. 13(10):918-23, 2000 Oct.

Rusk RA. Mori Y. Davies CH. Irvine T. Kenny A. Sahn DJ. *Comparison of ventricular volume and mass measurements from B- and C-scan images with the use of real-time 3-dimensional echocardiography: studies in an in vitro model.* Journal of the American Society of Echocardiography. 13(10):910-7, 2000 Oct.

Nosir YF. Vletter WB. Kasprzak JD. Boersma E. Lequin MH. Elhendy AA. Yao J. Stoker J. Ten Cate FJ. Roelandt JR. *Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function.* Journal of the American Society of Echocardiography. 13(8):715-22, 2000 Aug.

Munoz R. Marcus E. Palacio G. Gauvreau K. Wessel DL. Colan SD. *Reconstruction of 3-dimensional right ventricular shape and volume from 3 orthogonal planes.* Journal of the American Society of Echocardiography. 13(3):177-85, 2000 Mar.

Chuang ML. Beaudin RA. Riley MF. Mooney MG. Manning WJ. Hibberd MG. Douglas PS. *Impact of on-line endocardial border detection on determination of left ventricular volume and ejection fraction by transthoracic 3-dimensional echocardiography.* Journal of the American Society of Echocardiography. 12(7):551-8, 1999 Jul.

Chuang ML. Parker RA. Riley MF. Reilly MA. Johnson RB. Korley VJ. Lerner AB. Douglas PS. *Three-dimensional echocardiography improves accuracy and*

compensates for sonographer inexperience in assessment of left ventricular ejection fraction. Journal of the American Society of Echocardiography. 12(5):290-9, 1999 May.

Collins M. Hsieh A. Ohazama CJ. Ota T. Stetten G. Donovan CL. Kisslo J. Ryan T. *Assessment of regional wall motion abnormalities with real-time 3-dimensional echocardiography.* Journal of the American Society of Echocardiography. 12(1):7-14, 1999 Jan.

Yao J. Kasprzak JD. Nosir YF. Frowijn R. Vletter WB. Roelandt JR. *Appropriate 3-dimensional echocardiography data acquisition interval for left ventricular volume quantification: implications for clinical application.* Journal of the American Society of Echocardiography. 12(12):1053-7, 1999 Dec.

Frielingsdorf J. Franke A. Kuhl HP. Rijcken E. Krebs W. Hess OM. Flachskampf FA. Hanrath P. *Evaluation of regional systolic function in hypertrophic cardiomyopathy and hypertensive heart disease: a three-dimensional echocardiographic study.* Journal of the American Society of Echocardiography. 11(8):778-86, 1998 Aug.

Munt BI. Leotta DF. Bolson EL. Coady K. Martin RW. Otto CM. Sheehan FH. *Left ventricular shape analysis from three-dimensional echocardiograms.* Journal of the American Society of Echocardiography. 11(8):761-9, 1998 Aug.

Nosir YF. Salustri A. Kasprzak JD. Breburda CS. Ten Cate FJ. Roelandt JR. *Left ventricular ejection fraction in patients with normal and distorted left ventricular shape by three-dimensional echocardiographic methods: a comparison with radionuclide angiography.* Journal of the American Society of Echocardiography. 11(6):620-30, 1998 Jun.

Kuhl HP. Franke A. Frielingsdorf J. Flachkamp C. Krebs W. Flachskampf FA. Hanrath P. *Determination of left ventricular mass and circumferential wall thickness by three-dimensional reconstruction: in vitro validation of a new method that uses a multiplane transesophageal transducer.* Journal of the American Society of Echocardiography. 10(2):107-19, 1997 Mar.

Wong SP. Johnson RK. Sheehan FH. *Rapid and accurate left ventricular surface generation from three-dimensional echocardiography by a catalog based method: Rapid LV surface generation by three-dimensional echo.* The International Journal of Cardiovascular Imaging. Vol 19(1) (pp 9-17), 2003.

Hubka M. Bolson EL. McDonald JA. Martin RW. Munt B. Sheehan FH. *Three-dimensional echocardiographic measurement of left and right ventricular mass and*

volume: In vitro validation. The International Journal of Cardiovascular Imaging. Vol 18(2) (pp 111-118), 2002.

Heusch A. Koch JA. Krogmann ON. Korbmacher B. Bourgeois M. *Volumetric analysis of the right and left ventricle in a porcine heart model: comparison of three-dimensional echocardiography, magnetic resonance imaging and angiocardiology.* European Journal of Ultrasound. 9(3):245-55, 1999 Jul.

Nixon JV. Saffer SI. Lipscomb K. Blomqvist CG. *Three-dimensional echoventriculography.* American Heart Journal. 106:435-443, 1983.

Siu SC. Levin RA. Rivera JM. et al. *Three-dimensional echocardiography improves noninvasive assessment of left ventricular volume and performance.* American Heart Journal. 130:812-822, 1995.

Mele D. Fehske W. Maehle J. et al. *A simplified, practical echocardiographic approach for 3-dimensional surfacing and quantitation of the left ventricle: Clinical application in patients with abnormally shaped hearts.* Journal of the American Society of Echocardiography. 11:1001-1012, 1998.

Papademetris X. Sinusas AJ. Dione DP. Duncan JS. *Estimation of 3D left ventricular deformation from echocardiography.* Med Image Anal. 5:17-28, 2001.

Nosir YF. Lequin MH. Kasprazak JD. et al. *Measurements and day-to-day variabilities of left ventricular volumes and ejection fraction by three-dimensional echocardiography and comparison with magnetic resonance imaging.* American Journal of Cardiology. 82:209-214, 1998.

Valves

Kwan J. Shiota T. Agler DA. Popovic ZB. Qin JX. Gillinov MA. Stewart WJ. Cosgrove DM. McCarthy PM. Thomas JD. *Real-time three-dimensional echocardiography study. Geometric differences of the mitral apparatus between ischemic and dilated cardiomyopathy with significant mitral regurgitation: real-time three-dimensional echocardiography study.* Circulation. 107(8):1135-40, 2003 Mar 4.

Salgo IS. Gorman JH 3rd. Gorman RC. Jackson BM. Bowen FW. Plappert T. St John Sutton MG. Edmunds LH Jr. *Effect of annular shape on leaflet curvature in reducing mitral leaflet stress.* Circulation. 106(6):711-7, 2002 Aug 6.

Buck T. Mucci RA. Guerrero JL. Holmvang G. Handschumacher MD. Levine RA. *The power-velocity integral at the vena contracta: A new method for direct quantification of regurgitant volume flow.* Circulation. 102(9):1053-61, 2000 Aug 29.

Acar P. Aggoun Y. Saliba Z. Sidi D. Kachaner J. *Effect of balloon dilatation on aortic stenosis assessed by 3-dimensional echocardiographic reconstruction.* Circulation. 99(19):2598-9, 1999 May 18.

Otsuji Y. Handschumacher MD. Schwammenthal E. Jiang L. Song JK. Guerrero JL. Vlahakes GJ. Levine RA. *Insights from three-dimensional echocardiography into the mechanism of functional mitral regurgitation: direct in vivo demonstration of altered leaflet tethering geometry.* Circulation. 96(6):1999-2008, 1997 Sep 16.

Messas E. Guerrero JL. Handschumacher MD. Conrad C. Chow C-M. Sullivan S. Yoganathan AP. Levine RA. *Chordal cutting: A new therapeutic approach for ischemic mitral regurgitation.* Circulation. Vol 104(16) (pp 1958-1963), 2001. Date of Publication: 16 OCT 2001.

Qin JX. Shiota T. Lever HM. Rubin DN. Bauer F. Kim YJ. Sitges M. Greenberg NL. Drinko JK. Martin M. Agler DA. Thomas JD. Investigator: Thomas JD. *Impact of left ventricular outflow tract area on systolic outflow velocity in hypertrophic cardiomyopathy: a real-time three-dimensional echocardiographic study.* Journal of the American College of Cardiology. 39(2):308-14, 2002 Jan 16.

Otsuji Y. Handschumacher MD. Liel-Cohen N. Tanabe H. Jiang L. Schwammenthal E. Guerrero JL. Nicholls LA. Vlahakes GJ. Levine RA. *Mechanism of ischemic mitral regurgitation with segmental left ventricular dysfunction: three-dimensional echocardiographic studies in models of acute and chronic progressive regurgitation.* Journal of the American College of Cardiology. 37(2):641-8, 2001 Feb.

Binder TM. Rosenhek R. Porenta G. Maurer G. Baumgartner H. *Improved assessment of mitral valve stenosis by volumetric real-time three-dimensional echocardiography.* [comment]. Comment in: J Am Coll Cardiol. 2000 Oct;36(4):1362-4; PMID: 11028495 Journal of the American College of Cardiology. 36(4):1355-61, 2000 Oct.

Qin JX. Jones M. Shiota T. Greenberg NL. Tsujino H. Firstenberg MS. Gupta PC. Zetts AD. Xu Y. Ping Sun J. Cardon LA. Odabashian JA. Flamm SD. White RD. Panza JA. Thomas JD. Investigator: Thomas JD. *Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies.* Journal of the American College of Cardiology. 36(3):900-7, 2000 Sep.

De Simone R. Glombitza G. Vahl CF. Albers J. Meinzer HP. Hagl S. *Three-dimensional color Doppler: a clinical study in patients with mitral regurgitation.* Journal of the American College of Cardiology. 33(6):1646-54, 1999 May.

Breburda CS. Griffin BP. Pu M. Rodriguez L. Cosgrove DM 3rd. Thomas JD. Investigator: Thomas JD. *Three-dimensional echocardiographic planimetry of*

maximal regurgitant orifice area in myxomatous mitral regurgitation: intraoperative comparison with proximal flow convergence. Journal of the American College of Cardiology. 32(2):432-7, 1998 Aug.

Shiota T. Jones M. Tsujino H. Qin JX. Zetts AD. Greenberg NL. Cardon LA. Panza JA. Thomas JD. *Quantitative analysis of aortic regurgitation: real-time 3-dimensional and 2-dimensional color Doppler echocardiographic method—a clinical and a chronic animal study.* Journal of the American Society of Echocardiography. 15(9):966-71, 2002 Sep.

Haugen BO. Berg S. Brecke KM. Torp H. Slordahl SA. Skaerpe T. Samstad SO. *Blood flow velocity profiles in the aortic annulus: a 3-dimensional freehand color flow Doppler imaging study.* Journal of the American Society of Echocardiography. 15(4):328-33, 2002 Apr.

Irvine T. Stetten GD. Sachdev V. Zetts AD. Jones M. Mori Y. Ramsperger C. Castellucci JB. Kenny A. Panza JA. von Ramm OT. Sahn DJ. *Quantification of aortic regurgitation by real-time 3-dimensional echocardiography in a chronic animal model: computation of aortic regurgitant volume as the difference between left and right ventricular stroke volumes.* Journal of the American Society of Echocardiography. 14(11):1112-8, 2001 Nov.

Flachskampf FA. Chandra S. Gaddipatti A. Levine RA. Weyman AE. Ameling W. Hanrath P. Thomas JD. Investigator: Thomas JD. *Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction.* Journal of the American Society of Echocardiography. 13(4):277-87, 2000 Apr.

Shandas R. Kwon J. Valdes-Cruz L. *Real-time 3-dimensional volumetric ultrasound imaging of the vena contracta for stenotic valves with the use of echocardiographic contrast imaging: in vitro pulsatile flow studies.* Journal of the American Society of Echocardiography. 12(7):541-50, 1999 Jul.

De Simone R. Glombitza G. Vahl CF. Albers J. Meinzer HP. Hagl S. *Three-dimensional color Doppler: a new approach for quantitative assessment of mitral regurgitant jets.* Journal of the American Society of Echocardiography. 12(3):173-85, 1999 Mar.

Acar P. Jones M. Shiota T. Masani N. Delabays A. Yamada I. Sahn DJ. Pandian NG. *Quantitative assessment of chronic aortic regurgitation with 3-dimensional echocardiographic reconstruction: comparison with electromagnetic flowmeter measurements.* Journal of the American Society of Echocardiography. 12(2):138-48, 1999 Feb.

Ge S. Warner JG Jr. Fowle KM. Kon ND. Brooker RF. Nomier AM. Kitzman DW. *Morphology and dynamic change of discrete subaortic stenosis can be imaged and quantified with three-dimensional transesophageal echocardiography.* Journal of the American Society of Echocardiography. 10(7):713-6, 1997 Sep.

Menzel T. Mohr-Kahaly S. Kolsch B. Kupferwasser I. Kopp H. Spiecker M. Wagner S. Meinert R. Pagnia F. Meyer J. *Quantitative assessment of aortic stenosis by three-dimensional echocardiography.* Journal of the American Society of Echocardiography. 10(3):215-23, 1997 Apr.

Lange A. Palka PX. Donnelly JE. Burstow DJ. *Quantification of mitral regurgitation orifice area by 3-dimensional echocardiography: Comparison with effective regurgitant orifice area by PISA method and proximal regurgitant jet diameter.* International Journal of Cardiology. Vol 86(1) (pp 87-98), 2002.

George SJ. Al-Ruzzeh S. Amrani M. *Mitral annulus distortion during beating heart surgery: a potential cause for hemodynamic disturbance – a three-dimensional echocardiography reconstruction study.* Annals of Thoracic Surgery. 73(5):1424-30, 2002 May.

Dall'Agata A. Taams MA. Fioretti PM. Roelandt JR. Van Herwerden LA. *Cosgrove-Edwards mitral ring dynamics measured with transesophageal three-dimensional echocardiography.* Annals of Thoracic Surgery. 65(2):485-90, 1998 Feb.

Timek TA. Dagum P. Lai DT. Liang D. Daughters GT. Tibayan F. Ingels NB Jr. Miller DC. *Tachycardia-induced cardiomyopathy in the ovine heart: mitral annular dynamic three-dimensional geometry.* Journal of Thoracic & Cardiovascular Surgery. 125(2):315-24, 2003 Feb.

Saijo Y. Akimoto H. Saiki Y. Tabayashi K. Horinouchi T. Kobayashi T. Nitta S. *Proximal (entry) tear of dissecting aortic aneurysm visualized by three-dimensional echocardiography.* Journal of Thoracic & Cardiovascular Surgery. 124(6):1245-6, 2002 Dec.

Salgo IS. *Three-dimensional echocardiography. [Review] [78 refs]* Journal of Cardiothoracic & Vascular Anesthesia. 11(4):506-16, 1997 Jun.

Validation Against Other Modalities

Franke A. Kuhl HP. Schoendube FA. *MRI Versus 3D echocardiography in postinterventional patients with hypertrophic obstructive cardiomyopathy.[comment].* Comment on: Circulation. 1995 Nov 1;92(9 Suppl):II122-7; PMID: 7586394, Comment on: Circulation. 2000 Apr 18;101(15):1764-6; PMID: 10769274 Circulation. 104(7):E32-3, 2001 Aug 14.

Buck T. Hunold P. Wentz KU. Tkalec W. Nesser HJ. Erbel R. *Tomographic three-dimensional echocardiographic determination of chamber size and systolic function in patients with left ventricular aneurysm: comparison to magnetic resonance imaging, cineventriculography, and two-dimensional echocardiography.* Circulation. 96(12):4286-97, 1997 Dec 16.

Gopal AS. Shen Z. Sapin PM. et al. *Assessment of cardiac function by three-dimensional echocardiography compared with conventional noninvasive methods.* Circulation. 92:842-853, 1995.

Ahmad M. Xie T. McCulloch M. Abreo G. Runge M. *Real-time three-dimensional dobutamine stress echocardiography in assessment stress echocardiography in assessment of ischemia: comparison with two-dimensional dobutamine stress echocardiography.* Journal of the American College of Cardiology. 37(5):1303-9, 2001 Apr.

Qin JX. Jones M. Shiota T. Greenberg NL. Tsujino H. Firstenberg MS. Gupta PC. Zetts AD. Xu Y. Ping Sun J. Cardon LA. Odabashian JA. Flamm SD. White RD. Panza JA. Thomas JD. Investigator: Thomas JD. *Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies.* Journal of the American College of Cardiology. 36(3):900-7, 2000 Sep.

Chuang ML. Hibberd MG. Salton CJ. Beaudin RA. Riley MF. Parker RA. Douglas PS. Manning WJ. *Importance of imaging method over imaging modality in noninvasive determination of left ventricular volumes and ejection fraction: assessment by two- and three-dimensional echocardiography and magnetic resonance imaging.* Journal of the American College of Cardiology. 35(2):477-84, 2000 Feb.

Lee D. Fuisz AR. Fan PH. Hsu TL. Liu CP. Chiang HT. *Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: correlation with magnetic resonance imaging—a validation study.* Journal of the American Society of Echocardiography. 14(10):1001-9, 2001 Oct.

Lange A. Palka P. Burstow DJ. Godman MJ. *Three-dimensional echocardiography: historical development and current applications.* [Review] [65 refs] Journal of the American Society of Echocardiography. 14(5):403-12, 2001 May.

Takuma S. Ota T. Muro T. Hozumi T. Sciacca R. Di Tullio MR. Blood DK. Yoshikawa J. Homma S. *Assessment of left ventricular function by real-time 3-dimensional echocardiography compared with conventional noninvasive methods.* Journal of the American Society of Echocardiography. 14(4):275-84, 2001 Apr.

Kuhl HP. Bucker A. Franke A. Maul S. Nolte-Ernsting C. Reineke T. Hoffmann R. Gunther RW. Hanrath P. *Transesophageal 3-dimensional echocardiography: in vivo determination of left ventricular mass in comparison with magnetic resonance imaging*. Journal of the American Society of Echocardiography. 13(3):205-15, 2000 Mar.

Zwas DR. Takuma S. Mullis-Jansson S. Fard A. Chaudhry H. Wu H. Di Tullio MR. Homma S. *Feasibility of real-time 3-dimensional treadmill stress echocardiography*. Journal of the American Society of Echocardiography. 12(5):285-9, 1999 May.

Godoy IE. Bednarz J. Sugeng L. Mor-Avi V. Spencer KT. Lang RM. *Three-dimensional echocardiography in adult patients: comparison between transthoracic and transesophageal reconstructions*. Journal of the American Society of Echocardiography. 12(12):1045-52, 1999 Dec.

Nosir YF. Salustri A. Kasprzak JD. Breburda CS. Ten Cate FJ. Roelandt JR. *Left ventricular ejection fraction in patients with normal and distorted left ventricular shape by three-dimensional echocardiographic methods: a comparison with radionuclide angiography*. Journal of the American Society of Echocardiography. 11(6):620-30, 1998 Jun.

Chuang ML. Beaudin RA. Riley MF. Mooney MG. Manning WJ. Douglas PS. Hibberd MG. *Three-dimensional echocardiographic measurement of left ventricular mass: Comparison with magnetic resonance imaging and two-dimensional echocardiographic determinations in man*. International Journal of Cardiac Imaging. Vol 16(5) (pp 347-357), 2000.

Heusch A. Rubo J. Krogmann ON. Bonig H. Bourgeois M. *Volume measurement of the left ventricle in children with congenital heart defects: 3-dimensional echocardiography versus angiocardiology*. Cardiology. 92(1):45-52, 1999.

Gopal AS. King DL. Katz J. et al. *Three-dimensional echocardiographic volume computation by polyhedral surface reconstruction: In vitro validation and comparison to magnetic resonance imaging*. Journal of the American Society of Echocardiography. (5):115-124, 1992.

Acar P. Maunoury C. Antonietti T. Bonnet D. Sidi D. Kachaner J. *Left ventricular ejection fraction in children measured by three-dimensional echocardiography using a new transthoracic integrated 3D-probe. A comparison with equilibrium radionuclide angiography*. European Heart Journal. 19(10):1583-8, 1998 Oct.

Apfel HD. Shen Z. Gopal AS. et al. *Quantitative three dimensional echocardiography in patients with pulmonary hypertension and compressed left ventricles: Comparison with cross sectional echocardiography and magnetic resonance imaging*. Heart. 76:350-354, 1996.

Altmann K., Shen Z. Boxt LM. et al. *Comparison of three-dimensional echocardiographic assessment of volume, mass, and function in children with functionally single left ventricles with two-dimensional echocardiography and magnetic resonance imaging.* American Journal of Cardiology. 80:1060-1065, 1997.

Nosir YF. Lequin MH. Kasprzak JD. et al. *Measurements and day-to-day variabilities of left ventricular volumes and ejection fraction by three-dimensional echocardiography and comparison with magnetic resonance imaging.* American Journal of Cardiology. 82:209-214, 1998.

Pino R. Giannazzo G. Bari MD. et al. *Transthoracic three-dimensional echocardiographic reconstruction of left and right ventricles: In vitro validation and comparison with magnetic resonance imaging.* American Heart Journal. 133:221-229, 1997.

Martin RW. Bashein G. *Measurements of stroke volume with three-dimensional transesophageal ultrasonic scanning: Comparison with thermodilution measurement.* Anesthesiology. 70:470-476, 1989.

Surgical Planning and Interventional Guidance

Suematsu Y. Takamoto S. Kaneko Y. Ohtsuka T. Takayama H. Kotsuka Y. Murakami A. *Beating atrial septal defect closure monitored by epicardial real-time three-dimensional echocardiography without cardiopulmonary bypass.* Circulation. 107(5):785-90, 2003 Feb 11.

Szili-Torok T. Jordaens LJ. Bruining N. Ligthart J. Roelandt JR. *Dynamic three-dimensional echocardiography offers advantages for specific site pacing.* Circulation. 107(4):e30, 2003 Feb 4.

Hung J. Guerrero JL. Handschumacher MD. Supple G. Sullivan S. Levine RA. *Reverse ventricular remodeling reduces ischemic mitral regurgitation: echo-guided device application in the beating heart.* Circulation. 106(20):2594-600, 2002 Nov 12.

Chamoun AJ. Lenihan DJ. McCulloch M. Ahmad M. Sheahan RG. *Resynchronization therapy in dilated cardiomyopathy: confirmation of hemodynamic improvement with real-time three-dimensional echocardiography.* Circulation. 103(19):E98-8, 2001 May 15.

Liel-Cohen N. Guerrero JL. Otsuji Y. Handschumacher MD. Rudski LG. Hunziker PR. Tanabe H. Scherrer-Crosbie M. Sullivan S. Levine RA. *Design of a new surgical approach for ventricular remodeling to relieve ischemic mitral regurgitation: insights from 3-dimensional echocardiography.* Circulation. 101(23):2756-63, 2000 Jun 13.

Acar P. Aggoun Y. Saliba Z. Sidi D. Kachaner J. *Effect of balloon dilatation on aortic stenosis assessed by 3-dimensional echocardiographic reconstruction.* Circulation. 99(19):2598-9, 1999 May 18.

Magni G. Hijazi ZM. Pandian NG. Delabays A. Sugeng L. Laskari C. Marx GR. *Two- and three-dimensional transesophageal echocardiography in patient selection and assessment of atrial septal defect closure by the new DAS-Angel Wings device: initial clinical experience.* Circulation. 96(6):1722-8, 1997 Sep 16.

Szili-Torok T. Kimman GJ. Scholten MF. Ligthart J. Bruining N. Theuns DA. Klootwijk PJ. Roelandt JR. Jordaens LJ. *Interatrial septum pacing guided by three-dimensional intracardiac echocardiography.* Journal of the American College of Cardiology. 40(12):2139-43, 2002 Dec 18.

Espinola-Zavaleta N. Morales GH. Vargas-Barron J. Keirns C. Fraustro AA. *Three-dimensional transesophageal echocardiography in tumors of the heart.* Journal of the American Society of Echocardiography. 15(9):972-9, 2002 Sep.

McCreery CJ. McCulloch M. Ahmad M. deFilippi CR. *Real-time 3-dimensional echocardiography imaging for right ventricular endomyocardial biopsy: a comparison with fluoroscopy.* Journal of the American Society of Echocardiography. 14(9):927-33, 2001 Sep.

Cooke JC. Gelman JS. Harper RW. *Echocardiologists' role in the deployment of the Amplatzer atrial septal occluder device in adults.* Journal of the American Society of Echocardiography. 14(6):588-94, 2001 Jun.

Chauvel C. Bogino E. Clerc P. Fernandez G. Vernhet JC. Becat A. Dehant P. *Usefulness of three-dimensional echocardiography for the evaluation of mitral valve prolapse: an intraoperative study.* Journal of Heart Valve Disease. 9(3):341-9, 2000 May.

Cao Q. Radtke W. Berger F. Zhu W. Hijazi ZM. *Transcatheter closure of multiple atrial septal defects. Initial results and value of two- and three-dimensional transoesophageal echocardiography.* European Heart Journal. 21(11):941-7, 2000 Jun.

Congenital Heart Disease

Ishii M. Hashino K. Eto G. Tsutsumi T. Himeno W. Sugahara Y. Muta H. Furui J. Akagi T. Ito Y. Kato H. *Quantitative assessment of severity of ventricular septal defect by three-dimensional reconstruction of color Doppler-imaged vena contracta and flow convergence region.* Circulation. 103(5):664-9, 2001 Feb 6.

Magni G. Hijazi ZM. Pandian NG. Delabays A. Sugeng L. Laskari C. Marx GR. *Two- and three-dimensional transesophageal echocardiography in patient selection and assessment of atrial septal defect closure by the new DAS-Angel Wings device: initial clinical experience.* Circulation. 96(6):1722-8, 1997 Sep 16.

Marx GR. Sherwood MC. *Three-dimensional echocardiography in congenital heart disease: a continuum of unfulfilled promises? No. A presently clinically applicable technology with an important future? Yes.* [Review] [122 refs] Pediatric Cardiology. 23(3):266-85, 2002 May-Jun.

Pedra CA. Yoo SJ. Soderberg B. Freedom RM. *Aneurysm of the membranous septum in critical pulmonary stenosis: spontaneous rupture after balloon dilatation.* Pediatric Cardiology. 22(4):359-62, 2001 Jul-Aug.

Subahi SA. *Distinguishing cardiac features of a novel form of congenital muscular dystrophy (Salih cmd).* Pediatric Cardiology. 22(4):297-301, 2001 Jul-Aug.

McElhinney DB. Hoydu AK. Gaynor JW. Spray TL. Goldmuntz E. Weinberg PM. *Patterns of right aortic arch and mirror-image branching of the brachiocephalic vessels without associated anomalies.* Pediatric Cardiology. 22(4):285-91, 2001 Jul-Aug.

Espinola-Zavaleta N. Vargas-Barron J. Keirns C. Rivera G. Romero-Cardenas A. Roldan J. Attie F. *Three-dimensional echocardiography in congenital malformations of the mitral valve.* Journal of the American Society of Echocardiography. 15(5):468-72, 2002 May.

Alabdulkarim N. Knudson OA. Shaffer E. Macheras J. Degroff C. Valdes-Cruz L. *Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach.* Journal of the American Society of Echocardiography. 13(10):924-31, 2000 Oct.

Balestrini L. Fleishman C. Lanzoni L. Kisslo J. Resai Bengur A. Sanders SP. Li JS. *Real-time 3-dimensional echocardiography evaluation of congenital heart disease.* Journal of the American Society of Echocardiography. 13(3):171-6, 2000 Mar.

Papavassiliou DP. Parks WJ. Hopkins KL. Fyfe DA. *Three-dimensional echocardiographic measurement of right ventricular volume in children with congenital heart disease validated by magnetic resonance imaging.* Journal of the American Society of Echocardiography. 11(8):770-7, 1998 Aug.

Acar P. Maunoury C. Antonietti T. Bonnet D. Sidi D. Kachaner J. *Left ventricular ejection fraction in children measured by three-dimensional echocardiography using a new transthoracic integrated 3D-probe. A comparison with equilibrium radionuclide angiography.* European Heart Journal. 19(10):1583-8, 1998 Oct.

Altmann K., Shen Z. Boxt LM. et al. *Comparison of three-dimensional echocardiographic assessment of volume, mass, and function in children with functionally single left ventricles with two-dimensional echocardiography and magnetic resonance imaging.* American Journal of Cardiology. 80:1060-1065, 1997.