

New Products from CST®: September 2025


We are continually expanding our portfolio to meet your research needs. Check out the new products released this month!

InTraSeq™ 3' Conjugate Antibody Cocktail 2 #83302

The second InTraSeq™ 3' Conjugate Antibody Cocktail!

A new antibody cocktail for InTraSeq (Intracellular Protein and Transcriptomic Sequencing), which enables signal pathway analysis at the single-cell level, has been released! Developed by CST, InTraSeq single-cell analysis enables identification of signaling pathways involved in disease development and elucidation of molecular mechanisms in just one experiment. By simultaneously detecting both intracellular and cell surface proteins as well as RNA levels in thousands of cells, signal pathway analysis using the transcriptome at the single-cell level is possible.

KEYWORDS: single-cell analysis, signal pathway analysis, post-translational modification




SCA-ITS3: A-204 cells, 293 cells, serum-starved (ss) HT-1080 cells, and ss HT-1080 cells treated with Human Transforming Growth Factor β3 (hTGF-β3) #8425 (100 ng/mL, 30 min) were processed in accordance with the InTraSeq™ 3' protocol and analyzed using the Seurat computational package. The leftmost figures in each row show the Uniform Manifold Approximation and Projection (UMAP) of the annotated cells. The top right FeaturePlot displays the Phospho-SMAD2 (Ser465/Ser467) (E8F3R) Rabbit mAb (InTraSeq™ 3' Conjugate 3061) #34360 expression. The bottom figures show a subclustering analysis where ss HT-1080 cells and ss HT-1080 + hTGF-β3 cells were computationally selected to show expression of Phospho-SMAD2 (Ser465/Ser467) (E8F3R) Rabbit mAb (InTraSeq™ 3' Conjugate 3061) #34360 with ss HT-1080 cells in the middle figure and ss HT-1080 + hTGF-β3 cells in the right figure. To generate similar plots, use the FeaturePlot command template: `FeaturePlot(your_object, features = your_protein, split.by = "sample", max.cutoff = "q95", min.cutoff = "q5", cols = c("grey90", "#b22222"))`.

CXCR4 (F1K2M) Rabbit mAb #66825

Chemokine receptor involved in promoting cancer cell proliferation, survival, and motility

CXCR4 is a chemokine receptor belonging to the G protein-coupled receptor family. It is activated by CXCL12, also known as SDF1. CXCR4 mediates the homing of progenitor cells in the bone marrow and their recruitment to sites of injury, as well as regulating the migration, proliferation, and survival of cancer cells. It is also being investigated as a potential therapeutic target in autoimmune diseases and cancer. #66825 is suitable for WB and IHC-P using mouse samples.

KEYWORDS: chemokine, cancer microenvironment, metastasis



IHC-P: IHC analysis of paraffin-embedded human gastric adenocarcinoma using #68008. IHC analysis of paraffin-embedded A20 syngeneic tumor using #66825.



Learn more at
cellsignal.com/newproducts



Cell Signaling
TECHNOLOGY®

PRODUCT		APPLICATIONS		REACTIVITY	
Adhesion/Extracellular Matrix					
34720S	ADAM10 (F9A4J) Rabbit mAb	100 µl	83,000	IHC-P	H
34720T		20 µl	25,000		
67360S	COL17A1 (F5U1Z) Rabbit mAb	100 µl	83,000	WB, IHC-P	H
67360T		20 µl	25,000		
19775SF	DPP4/CD26 (D6D8K) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H
77093S	GPNMB (E7U1Z) Feline Chimeric mAb	100 µl	79,000	IF-F	M
77093T		20 µl	24,000		
49553S	GPNMB (E7U1Z) Mouse Chimeric mAb	100 µl	79,000	IF-F	M
49553T		20 µl	24,000		
23275S	Mesothelin (D9R5G) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	H
50141S	Mesothelin (D9R5G) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	H
91115SF	Phospho-Paxillin (Tyr118) (E9U9F) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-F, IF-IC	H, M, R, Mk, (C)
96408SF	Periostin (F7U5N) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	M
86662S	Thy1/CD90 (D3V8A) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	H, M, R
52393S	VE-Cadherin (E6N7A) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	H
19948S	VE-Cadherin (E6N7A) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	H
Alzheimer's disease					
66973S	CD11b/ITGAM (E6E1M) Feline Chimeric mAb	100 µl	79,000	IF-F	M
66973T		20 µl	24,000		
78923S	CD11b/ITGAM (E6E1M) Horse Chimeric mAb	100 µl	79,000	IF-F	M
78923T		20 µl	24,000		
90153S	CD11b/ITGAM (E6E1M) Mouse Chimeric mAb	100 µl	79,000	IF-F	M
90153T		20 µl	24,000		
81911S	P2Y12 (E9JJJ) Mouse Chimeric mAb	100 µl	79,000	IF-F	M
81911T		20 µl	24,000		
31944S	TREM2 (E7O7Q) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	FC-L	M
44724S	TREM2 (E7O7Q) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	FC-L	M
Apoptosis					
50433SF	Phospho-RIP3 (Thr231/Ser232) (E7S1R) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC	M
Autoimmunity and Inflammation					
59098S	IL-1RA (F4K3K) Rabbit mAb	100 µl	79,000	WB	H
59098T		20 µl	24,000		
17382SF	p47phox (D21F6) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	H, (Mk)
Autophagy					
78080SF	Phospho-mTOR (Ser2448) (D9C2) XP® Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC	H, M, R, Mk, (C, Pg, Hr)
44380SF	Mucolipin-1 (F8F9Q) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H
24647SF	Phospho-SQSTM1/p62 (Ser349) (E7M1A) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IHC-P, IF-IC, FC-FP	H, M
89254T	TFEB/TFE3 Signaling Antibody Sampler Kit	1 Kit	119,000	-	-
Biochemical Metabolism and Signaling					
35190S	AFP (F2E9D) Rabbit mAb	100 µl	83,000	WB, IHC-P	H
35190T		20 µl	25,000		
43596S	AFP (F8P8E) Rabbit mAb	100 µl	83,000	IHC-P	H
43596T		20 µl	25,000		
63435SF	ATF-4 (E4Q4E) Mouse mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC, FC-FP	H
89633SF	ATGL (30A4) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P, IF-IC	M
16991S	ATP1B3 (F1R8N) Rabbit mAb	100 µl	83,000	WB, IHC-P	H
16991T		20 µl	25,000		
39539SF	Phospho-CAD (Ser1859) (D5K5W) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IHC-P, SEC	H, M, R
78571S	FATP1/SLC27A1 (F1Y1E) Rabbit mAb	100 µl	79,000	WB	H
78571T		20 µl	24,000		
62511T	Fatty Acid Binding Protein Antibody Sampler Kit	1 Kit	119,000	-	-
82536S	GSTT1 (F6G2R) Rabbit mAb	100 µl	79,000	WB	H, M, R
82536T		20 µl	24,000		
86051S	Iduronate 2-Sulfatase (F5F9E) Rabbit mAb	100 µl	79,000	WB	H, M, R
86051T		20 µl	24,000		
86188SF	INPP4b (D9K1B) XP® Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	H
94645S	MLH1 (F1W3E) Rabbit mAb	100 µl	79,000	WB	H, M
94645T		20 µl	24,000		
85653T	Pancreatic Development Antibody Sampler Kit	1 Kit	130,000	-	-
96703S	SGPP1 (F2B6W) Rabbit mAb	100 µl	79,000	WB, IP, FC-FP	H
96703T		20 µl	24,000		
32368S	TYRP1 (F7P2J) Rabbit mAb	100 µl	83,000	WB, IHC-P, IF-F, IF-IC	H, M
32368T		20 µl	25,000		
Ca, cAMP & Lipid Signaling					
85303S	IP3R3/ITPR3 (F3L2A) Rabbit mAb	100 µl	79,000	WB	H, M, R
85303T		20 µl	24,000		
32450S	Phospho-PKCζ (Thr410)/λ (Thr412) (F2E5C) Rabbit mAb	100 µl	85,000	WB, IP	H, M, R, Mk
32450T		20 µl	26,000		
16685SF	Phospho-PLCγ1 (Ser1248) (D25A9) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IHC-P, IF-IC, FC-FP	H, M, Mk, (R)



Learn more at
cellsignal.com/newproducts



Cell Signaling
 TECHNOLOGY®

PRODUCT		APPLICATIONS		REACTIVITY	
Cell Autonomous Innate Immunity					
62664SF	IRF-3 (D6I4C) XP® Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, Mk
37230SF	STING (E9X7F) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	IF-F, IF-IC, FC-FP	H, M
Cell Cycle					
93597S	CDK4 (F8L5F) Rabbit mAb	100 µl	83,000	WB, IHC-P	H, M, R
93597T		20 µl	25,000		
62382SF	CDK6 (D4S8S) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, Mk
33667C	PathScan® RP CDK6 Sandwich ELISA Kit	1 Kit	140,000	ELISA	H, Mk
25211SF	CDT1 (D10F11) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, Mk
79338S	Geminin (F9T4M) Rabbit mAb	100 µl	79,000	WB, IP	M
79338T		20 µl	24,000		
75886SF	p16 INK4A (F9T1L) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P, IF-IC, FC-FP	H
34418S	PrimPol (F5E9I) Rabbit mAb	100 µl	79,000	WB, IP	H
34418T		20 µl	24,000		
69017SF	Phospho-RPA32/RPA2 (Ser8) (E5A2F) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC, FC-FP	H
89040S	TERT (F3C6F) Rabbit mAb	100 µl	79,000	WB	H
89040T		20 µl	24,000		
Chromatin Acylation and Phosphorylation					
89770SF	SRC-3 (D1F11) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, M, Mk
Chromatin Methylation and Ubiquitylation					
51519SF	APOBEC3A (UMN-13) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	H
Cytoskeletal					
40399SF	MYH11 (E4Q4L) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC	H, M, R
95377SF	Phospho-Myosin Light Chain 2 (Ser19) Mouse mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC	H, M, R, B, Pg
18751S	Phospho-NCK1 (Ser85) (F8PIY) Rabbit mAb	100 µl	85,000	WB, IP, FC-FP	H, M
18751T		20 µl	26,000		
DIFFERENTIATION - Transcription Factor					
27425SF	GATA-1 (D24E4) XP® Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC, FC-FP	H
57731S	KLF2 (E7K8Y) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	FC-FP	H
46846SF	Sox2 (D9B8N) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC, FC-FP	H, M
DNA Damage/Senescence					
51030SF	Phospho-Rad50 (Ser635) (F5H8B) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, FC-FP	H, R
54069S	Rad51C (F6D1F) Rabbit mAb	100 µl	79,000	WB, IP	H
54069T		20 µl	24,000		
77441SF	DeltaN p63 (E6Q3O) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H
51201SF	WRN (8H3) Mouse mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, M
General Transcription Factors					
48494SF	HEXIM1 (D5Y5K) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC, FC-FP	H, Mk
96999S	INTS11 (F2P6Z) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R, Mk
96999T		20 µl	24,000		
76072S	NPAT (F1D9Q) Rabbit mAb	100 µl	79,000	WB, IP, IF-IC	H, Mk
76072T		20 µl	24,000		
Growth factors & Cytokines					
57408SF	HGF β (D6S7D) XP® Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	H
HIPPO					
24663S	MST2 (F4C3I) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R, Mk
24663T		20 µl	24,000		
Immune Checkpoints and Ligands					
26043S	B7-H3 (F9C1J) Rabbit mAb	100 µl	79,000	WB	H, M, R
26043T		20 µl	24,000		
77017S	CD27 (F3R2V) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IF-F, IF-IC, FC-L	M
56043S		100 µl	88,000		
19040S	CD40 (E2Z7I) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	M
Inflammasome					
81980S	IFI16 (F6T5U) Rabbit mAb	100 µl	79,000	WB, IP, IF-IC	H
81980T		20 µl	24,000		
58464S	NLRP7 (F9U8L) Rabbit mAb	100 µl	79,000	WB, IP	H
58464T		20 µl	24,000		
Lymphocyte Signaling					
71051P	BLK (E8T1B) Rabbit mAb (Biotinylated)	50 µg	160,000	E-P	H
79809S	CD79A (F3Z1H) Rabbit mAb	100 µl	83,000	WB, IP, IHC-P, IF-F, FC-FP	M
79809T		20 µl	25,000		
Motif					
80353S	Carbamidomethyl Cysteine (F3T7J) Rabbit mAb	100 µl	85,000	WB	All
80353T		20 µl	26,000		
95132S	β-Hydroxybutyryl Lysine (E6H5Q) Rabbit mAb	100 µl	79,000	W	All
95132T		20 µl	24,000		
24141SF	Phospho-Tyrosine (P-Tyr-1000) MultiMab® Rabbit mAb mix (BSA and Azide Free)	100 µg	160,000	WB, IF-IC, FC-FP	All



Learn more at
cellsignal.com/newproducts



Cell Signaling
 TECHNOLOGY®

PRODUCT		APPLICATIONS		REACTIVITY	
Neural function (neurite extension, axonal guidance, synaptogenesis, myelination and neuron-glial cell interactions)					
95730S	ALDH1L1 (E712Q) Feline Chimeric mAb	100 µl	79,000	IF-F	H, M, R
95730T		20 µl	24,000		
30803S	ALDH1L1 (E712Q) Horse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
30803T		20 µl	24,000		
49973S	ALDH1L1 (E712Q) Mouse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
49973T		20 µl	24,000		
96510S	BASP1 (F9A5E) Rabbit mAb	100 µl	83,000	WB, IHC-P, IF-IC	H
96510T		20 µl	25,000		
91686S	Phospho-CREB (Ser133) (87G3) Feline Chimeric mAb	100 µl	85,000	IF-F	H, M, R
91686T		20 µl	26,000		
54388S	Phospho-CREB (Ser133) (87G3) Horse Chimeric mAb	100 µl	85,000	IF-F	H, M, R
54388T		20 µl	26,000		
87358S	Phospho-CREB (Ser133) (87G3) Mouse Chimeric mAb	100 µl	85,000	IF-F	H, M, R
87358T		20 µl	26,000		
23180S	Dab1 (F6E1K) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R
23180T		20 µl	24,000		
99059S	Doublecortin (F6K9E) Feline Chimeric mAb	100 µl	79,000	IF-F	H, M, R
99059T		20 µl	24,000		
30298S	Doublecortin (F6K9E) Horse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
30298T		20 µl	24,000		
41762S	Doublecortin (F6K9E) Mouse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
41762T		20 µl	24,000		
35460SF	Neurofilament-H (E9C9Z) Mouse mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC	H, M, R
18593S	OMG (F8B7X) Rabbit mAb	100 µl	83,000	WB, IHC-P	H
18593T		20 µl	25,000		
67931S	S100B (E7C3A) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P, IF-IC	H, M, R
76475S	S100B (E7C3A) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P, IF-F, IF-IC	H, M, R
76103S	TMEM119 (E3E1O) Feline Chimeric mAb	100 µl	79,000	IF-F	M
76103T		20 µl	24,000		
88925S	TMEM119 (E3E1O) Horse Chimeric mAb	100 µl	79,000	IF-F	M
88925T		20 µl	24,000		
26113S	TMEM119 (E3E1O) Mouse Chimeric mAb	100 µl	79,000	IF-F	M
26113T		20 µl	24,000		
92081S	β3-Tubulin (D71G9) XP® Feline Chimeric mAb	100 µl	79,000	IF-F	H, M, R
92081T		20 µl	24,000		
59820S	β3-Tubulin (D71G9) XP® Horse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
59820T		20 µl	24,000		
70668S	β3-Tubulin (D71G9) XP® Mouse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
70668T		20 µl	24,000		
Neurodegeneration: Other					
95895S	HDGF2 (Cryptic Specific) Antibody	100 µl	69,000	WB	H
93535P	Huntingtin (D7F7) XP® Rabbit mAb (Biotinylated)	50 µg	160,000	E-P	H, M, R
60987S	Phospho-TMEM106B (Tyr50) (F3L6S) Rabbit mAb	100 µl	85,000	WB, IP	H, M, R
60987T		20 µl	26,000		
NFκappaB Signaling					
94741S	TRAF5 (F6W4N) Rabbit mAb	100 µl	83,000	WB, IHC-P	H, M
94741T		20 µl	25,000		
Nuclear Structure					
20049SF	PML (E6S9L) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	IHC-P, IF-IC	H
Parkinson's disease					
77511SF	CDK5 (D1F7M) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC	H, M, R, Mk
Phenotyping and Functional Markers					
50036S	CD31 (PECAM-1) (F8M3S) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	H, Mk
70753S	CD31 (PECAM-1) (F8M3S) Rabbit mAb (Alexa Fluor® 555 Conjugate)	100 µl	88,000	IHC-P	H, Mk
20964S	CD31 (PECAM-1) (F8M3S) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	H, Mk
15822S	CD34 (QBEND/10) Mouse mAb	100 µl	149,000	IHC-P	H
91388S	MHC Class II (I-Ea) (F8N7J) Rabbit mAb	100 µl	83,000	WB, IP, IHC-P	M
91388T		20 µl	25,000		
83905S	Neutrophil Elastase (E8U3X) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	M
71796S	Neutrophil Elastase (E8U3X) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	M
PI3K/Akt/mTOR Signaling					
81368SF	SHP-2 (F4V3P) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P	H, M, R
73020SF	Phospho-S6 Ribosomal Protein (Ser235/236) (E2R1O) Mouse mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC	H, M, R, Mk
Post-synapse					
78512S	Neurexin-3 (F6Q9O) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R
78512T		20 µl	24,000		
Pre-synapse & transmitters					
82985S	Pancreatic polypeptide (F8J4Y) Rabbit mAb	100 µl	83,000	WB, IHC-P, IF-F	H, M
82985T		20 µl	25,000		



Learn more at
cellsignal.com/newproducts



Cell Signaling
 TECHNOLOGY®

PRODUCT		APPLICATIONS		REACTIVITY	
Pre-synapse & transmitters (cont.)					
76788S	Synaptophysin (D8F6H) XP® Feline Chimeric mAb	100 µl	79,000	IF-F	H, M, R
76788T		20 µl	24,000		
94064S	Synaptophysin (D8F6H) XP® Horse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
94064T		20 µl	24,000		
99929S	Synaptophysin (D8F6H) XP® Mouse Chimeric mAb	100 µl	79,000	IF-F	H, M, R
99929T		20 µl	24,000		
Proteostasis					
37155P	CRBN (D8H3S) Rabbit mAb (Biotinylated)	50 µg	160,000	E-P	H, M, R
46155S	ISG15 (F2W5O) Rabbit mAb	100 µl	83,000	WB, IHC-P, FC-FP	H
46155T		20 µl	25,000		
18486S	ISG15 (F3L3J) Rabbit mAb	100 µl	79,000	WB	H
18486T		20 µl	24,000		
60857P	KEAP1 (D6B12) Rabbit mAb (Biotinylated)	50 µg	160,000	E-P	H, M, R, (Mk, B, Pg)
99483S	Prostate Specific Membrane Antigen (D7I8E) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	88,000	IHC-P	H, M, R
73418S	Prostate Specific Membrane Antigen (D7I8E) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	88,000	IHC-P	H, M, R
67517SF	SERPINB3 (F3Z8E) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P, SEC	H
56408S	SLPI (F5M6K) Rabbit mAb	100 µl	79,000	WB	M
56408T		20 µl	24,000		
32920S	UBE3C (F2S2J) Rabbit mAb	100 µl	79,000	WB, IP, IF-IC	H, M, R
32920T		20 µl	24,000		
Receptor signaling: GPCRs, ion channels, RTKs-Neuro, transporters (SLC & ABC)					
56678S	GPR75 (F3P5Y) Rabbit mAb	100 µl	79,000	WB	H, M, R
56678T		20 µl	24,000		
63168S	Kv1.3/KCNA3 (F2R6N) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R
63168T		20 µl	24,000		
42042S	TMEM35 (F3G2T) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R
42042T		20 µl	24,000		
52971S	TrkB (F8L9G) Rabbit mAb	100 µl	83,000	WB, IHC-P	H, M, R
52971T		20 µl	25,000		
92447SF	TrkC (C44H5) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IHC-P, IF-IC	H, M, R
REDOX/Energy Metabolism					
97366S	Phospho-ATP-Citrate Lyase (Ser455) (F4T8R) Rabbit mAb	100 µl	89,000	WB, IP, IHC-P, FC-FP	H, M, R
97366T		20 µl	27,000		
80448SF	DLAT (4A4-B6-C10) Mouse mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, Mk
63366SF	OPA1 (D7C1A) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H
RNA Modifications (Editing, Methylation, PseudoU, Other)					
96964T	Human Reactive ADAR1 Antibody Sampler Kit	1 Kit	86,000	-	-
RNA Processing					
15588SF	TIAR (D32D3) XP® Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC, FC-FP	H, M, R, Mk
RNA Stability & Decay					
83312S	SMG5 (F9P6O) Rabbit mAb	100 µl	79,000	WB, IP	H, Mk
83312T		20 µl	24,000		
RTK-Cell Biology					
95087SF	Phospho-ALK (Tyr1507) (D6FIV) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC, FC-FP	H, (M, R)
94995SF	Phospho-FGF Receptor 1 (Tyr653/654) (D4X3D) Rabbit mAb (BSA and Azide Free)	100 µg	160,000	WB, IF-IC	H, (M, R)
TAG					
37497S	Myc-Tag (71D10) Feline Chimeric mAb	100 µl	79,000	IF-IC	All
37497T		20 µl	24,000		
81163S	Myc-Tag (71D10) Horse Chimeric mAb	100 µl	79,000	IF-IC	All
81163T		20 µl	24,000		
94152S	SRLEEELRRRLTE Tag (F8Z6D) Rabbit mAb (Binds to same epitope as NanoTag Biotechnologies Anti-ALFA antibody)	100 µl	79,000	WB, IF-IC	All
94152T		20 µl	24,000		
31431S	V5-Tag (D3H8Q) Feline Chimeric mAb	100 µl	79,000	IF-IC	All
31431T		20 µl	24,000		
46509S	V5-Tag (D3H8Q) Horse Chimeric mAb	100 µl	79,000	IF-IC	All
46509T		20 µl	24,000		
67168S	V5-Tag (D3H8Q) Mouse Chimeric mAb	100 µl	79,000	IF-IC	All
67168T		20 µl	24,000		
23765SF	VSV-G Tag (E8S5G) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	All
TGFB/BMP					
94665S	Activin Receptor Type 1 (F6M1E) Rabbit mAb	100 µl	79,000	WB, IP	H, M, R, Mk
94665T		20 µl	24,000		
72877SF	SMAD2 (86F7) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-IC	H, Mk
Transcription Factors (Hematopoiesis and Leukemogenesis)					
32303S	IRF-8 (F7M3K) Rabbit mAb	100 µl	83,000	WB, IP, IHC-P	M, R
32303T		20 µl	25,000		
47603SF	POU2F2 (F3B7M) Rabbit mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC, FC-FP	H, M
37929SF	PU.1 (F2D5A) Mouse mAb (BSA and Azide Free)	100 µg	142,000	WB, IF-F, IF-IC, FC-FP	M



Learn more at
cellsignal.com/newproducts



Cell Signaling
 TECHNOLOGY®

PRODUCT		APPLICATIONS		REACTIVITY	
Transcription Factors (Hematopoiesis and Leukemogenesis) (cont.)					
94103S	ZBTB32 (F501L) Rabbit mAb	100 μl	79,000	WB, FC-FP	M
94103T		20 μl	24,000		
Translational Control					
90731SF	Sec61B (D5Q1W) Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H, M, R, Mk
Tumor Microenvironment					
35382S	CD47 (D307P) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 μl	88,000	IHC-P	H
24205S	CD47 (D307P) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 μl	88,000	IHC-P	H
66825S	CXCR4 (F1K2M) Rabbit mAb	100 μl	83,000	WB, IHC-P	M
66825T		20 μl	25,000		
34845S	MHC Class II (LGII-612.14) Mouse mAb (Alexa Fluor® 488 Conjugate)	100 μl	88,000	IHC-P, FC-L	H
53814S	Mouse IL-10 Recombinant Protein	10 μg	50,000	-	-
69324SF	TNF-α (D1G2) Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC, FC-FP	H
Vesicle and Protein Trafficking					
44700SF	Phospho-AP2M1 (Thr156) (D4F3) Rabbit mAb (BSA and Azide Free)	100 μg	160,000	WB, IF-IC	H, (M, R, Mk)
43781S	CHMP7 (F4P9J) Rabbit mAb	100 μl	79,000	WB, IP	H
43781T		20 μl	24,000		
38736SF	Clathrin Heavy Chain (D3C6) XP® Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H, M, R, Mk, (Pg)
24923SF	GM130 (D6B1) XP® Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H, Mk
44573C	PathScan® RP NPM1 (C Mutant Specific) Sandwich ELISA Kit	1 Kit	140,000	ELISA	H
57398SF	Rab10 (D36C4) XP® Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H, M, R, Mk
73006SF	Rab11 (D4F5) XP® Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H, M, R, Mk, (Hm, Pg)
84334S	Rab32 (F6E5T) Rabbit mAb	100 μl	79,000	WB, IP	M
84334T		20 μl	24,000		
39384SF	Transferrin Receptor/CD71 (D7S5Z) Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H
WNT					
88194SF	DKK1 (D5V6L) Rabbit mAb (BSA and Azide Free)	100 μg	142,000	WB, IF-IC	H
InTraSeq™シングルセル解析関連製品					
83302S	InTraSeq™ 3' Conjugate Antibody Cocktail 2	22 μl	550,000	SCA-ITS3	H, M
85815S	Bcl-xL (54H6) Rabbit mAb (InTraSeq™ 3' Conjugate 3058)	25 μl	92,000	SCA-ITS3	H, M
31103S	Cleaved Caspase-3 (Asp175) (D3E9) Rabbit mAb (InTraSeq™ 3' Conjugate 3078)	25 μl	95,000	SCA-ITS3	H, M
71766S	c-Fos (E217R) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3057)	25 μl	92,000	SCA-ITS3	H, M
44436S	Phospho-c-Fos (Ser32) (D82C12) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3056)	25 μl	95,000	SCA-ITS3	H, M
66731S	c-Jun (60A8) Rabbit mAb (InTraSeq™ 3' Conjugate 3072)	25 μl	92,000	SCA-ITS3	H, M
81686S	Phospho-c-Jun (Ser63) (E617P) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3070)	25 μl	95,000	SCA-ITS3	H, M
69852S	Ezh2 (D2C9) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3081)	25 μl	92,000	SCA-ITS3	H, M
26379S	FGF Receptor 2 (D4L2V) Rabbit mAb (InTraSeq™ 3' Conjugate 3071)	25 μl	92,000	SCA-ITS3	H, M
99585S	HIF-1α (D1S7W) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3066)	25 μl	92,000	SCA-ITS3	H, M
92853S	Histone H2AX (D17A3) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3082)	25 μl	92,000	SCA-ITS3	H, M
83332S	Histone H3 (D1H2) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3051)	25 μl	92,000	SCA-ITS3	H, M, Hm, (C, Dm, X, Z, B)
32730S	Histone H3 (D1H2) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3052)	25 μl	92,000	SCA-ITS3	H, M, Hm, (C, Dm, X, Z, B)
43286S	Acetyl-Histone H3 (Lys9) (C5B11) Rabbit mAb (InTraSeq™ 3' Conjugate 3083)	25 μl	95,000	SCA-ITS3	H, M
65200S	Tri-Methyl-Histone H3 (Lys4) (C42D8) Rabbit mAb (InTraSeq™ 3' Conjugate 3085)	25 μl	95,000	SCA-ITS3	H, M
58599S	Tri-Methyl-Histone H3 (Lys36) (D5A7) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3084)	25 μl	95,000	SCA-ITS3	H, M
47881S	JunB (C37F9) Rabbit mAb (InTraSeq™ 3' Conjugate 3069)	25 μl	92,000	SCA-ITS3	H, M
99506S	Ki-67 (D3B5) Rabbit mAb (InTraSeq™ 3' Conjugate 3076)	25 μl	92,000	SCA-ITS3	H, M
96305S	LC3B (E5Q2K) Mouse mAb (InTraSeq™ 3' Conjugate 3062)	25 μl	92,000	SCA-ITS3	H, M
48487S	mTOR (7C10) Rabbit mAb (InTraSeq™ 3' Conjugate 3064)	25 μl	92,000	SCA-ITS3	H, M
84197S	Phospho-NDRG1 (Thr346) (D98G11) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3075)	25 μl	95,000	SCA-ITS3	H, M
17838S	Notch2 (D76A6) XP® Rabbit mAb (InTraSeq™ 3' Conjugate 3060)	25 μl	92,000	SCA-ITS3	H, M




Learn more at
cellsignal.com/newproducts



Cell Signaling
 TECHNOLOGY®

What's New at CST




The SignalStar® Multiplex IHC Secondary Kit is here!

- Up to 70% faster time-to-results
- Signal amplification of up to 8 markers (even with low expression)
- Automated and flexible panel design
- Now with access to >2,000 IHC-validated antibodies

cst-science.com/Q3-2025-info3

Remarkable **flexibility**.
Now available on demand.



New SignalFlex™ Antibody Conjugates

Signal Flex™ offer you a broader range of fluorochrome-antibody combinations to choose from, using the same primary CST® antibodies you trust. Enjoy greater flexibility when building your fluorescent immunoassay panels for applications like flow cytometry, with:

- More fluorochrome options
- Easy to order
- Convenient size

cst-science.com/Q3-2025-info2

© 2024 Cell Signaling Technology, Inc. CST, Cell Signaling Technology, and InTraSeq are registered trademarks of Cell Signaling Technology, Inc. 10x Genomics, 10x, Feature Barcode, and Chromium are the trademarks or registered trademarks of 10x Genomics, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information. Subject to patents licensed from 10x Genomics, Inc., for use with single-cell (i.e., Chromium) 10x products.



Learn more at
cellsignal.com/newproducts



Cell Signaling
TECHNOLOGY®